THE NEAL MODEL™, THE NEAL METHOD™ & BT4HP™ INTEGRATION

The Clinical Pathway

A Physician's Framework for Neurobiological Recovery
and Sustainable Professional Excellence

RYAN C. NEAL, MD

Assistant Professor of Medicine, Houston Methodist Hospital
Department of Medicine · Division of Hospital Medicine

© 2026 Ryan C. Neal, MD · NEUFLODOC™ Systems

A PERSONAL NOTE

This framework did not begin in a lecture hall or a research lab.

It began with my own repeated failure to recognize burnout in myself — until the pattern became impossible to ignore.

What follows is clinical. It is also personal. I built the tools I needed and did not have.

— RYAN C. NEAL, MD

THE FRAMEWORK

Three Systems, One Continuum

THE NEAL MODEL™

The clinical language for burnout's progression — three stages, one continuum.

BT4HP™

The instrument that locates a person precisely within that progression.

THE NEAL METHOD™

The sequenced, neurobiologically ordered path back to sustainable practice.

Each depends on the other two. None stands alone.

Burnout as a Three-Stage Progression

01

Overload

Demand chronically exceeds available resource. Biological debt begins to accumulate.

GREEN ZONE · 0–12

02

Cynicism

Active disengagement as self-protection. Emotional armor replaces motivation.

YELLOW ZONE · 13–27

03

Exhaustion

Biological, psychological, and existential system strain. Redesign required.

RED ZONE · 28–45

What Is Actually Happening in the Brain and Body

Stage 1	HPA axis activation within adaptive range. Sympathetic tone elevated. Biological debt begins to accumulate — recoverable.
Stage 2	Chronic HPA activation. Amygdala sensitization. Parasympathetic compromise. Reward circuitry begins to blunt.
Stage 3	HPA axis exhaustion. Cortisol regulation collapses — chronically elevated or paradoxically low. Measurable prefrontal cortex and hippocampal impairment.

11. McEwen BS, Stellar E. Stress and the individual: mechanisms leading to disease. Arch Intern Med. 1993;153(18):2093–2101. doi:10.1001/archinte.1993.00410180039004

A Continuum, Not a Diagnosis

- Burnout is not an event that happens to you. It is a progression you move through — and can be located within, at any point in time.
- This reframing carries clinical weight: the earlier the stage, the more intervention options remain and the faster recovery occurs.
- The Neal Model™ is descriptive and directional. It gives the language. It does not, on its own, produce a score.
- That is where BT4HP™ enters — the instrument built to operationalize this framework precisely.

3. World Health Organization. International Classification of Diseases, 11th Revision (ICD-11): Burn-out as an occupational phenomenon. Geneva: WHO; 2019.

Why This Instrument Exists

FOR THE INDIVIDUAL

- Built to catch what a high performer's own denial and behavioral masking can hide from them.
- An objective score can offer a moment of self-recognition — and move someone toward help sooner than instinct alone would have.

FOR THE INSTITUTION & COACH

- Supplements standardized screening with a subscale profile that flags masking in high-performing populations.
- Gives coaches and departments a structured, repeatable entry point into a defined intervention pathway.

One instrument. Two vantage points. The same clinical truth.

17. Dyrbye LN, Shanafelt TD. A practical approach to assessing and mitigating burnout among residents and fellow physicians. J Grad Med Educ. 2016;8(4):629–632.

Functional Score vs. Identity Score

FUNCTIONAL SCORE

27 max

Reflects what the external world tends to see — operational capacity, surface-level depletion.

IDENTITY SCORE

18 max

Reflects what the performer knows privately but rarely discloses — meaning, relationships, sustainability.

When the Identity Score significantly exceeds the Functional Score, that gap is often the first moment a high performer sees — on paper — what they have not yet let themselves admit.

Zone Mapping: Bridge into the Method

0–12

GREEN ZONE

Stage 1: Overload

Enter Phase I

13–27

YELLOW ZONE

Stage 2: Cynicism

Enter Phase II

28–45

RED ZONE

Stage 3: Exhaustion

Enter Phase III + Clinical Eval

Awareness Is the Intervention

An honest score, taken seriously, is sometimes the thing that moves a physician toward help earlier than instinct alone would have allowed.

This is where the Neal Method™ begins — not as a program imposed from outside, but as the sequence needed once the picture is finally clear.

THE NEAL METHOD™

Ten Steps. Three Phases. One Physiological Order.

- The sequence is not arbitrary. The nervous system requires a physiological order to recover — regulation before engagement, engagement before architecture.
- Phase I must precede Phase II. Phase II must precede Phase III. Skipping ahead does not accelerate recovery — it undermines it.
- BT4HP™ subscale scores serve as entry-point guides throughout: your Burnout Fingerprint tells you where within the sequence to begin.

PHASE I

Restore Regulation

PHASE II

Flow as Safeguard

PHASE III

Integration

PHASE I · THE NEAL METHOD™

Restore Regulation & Brain Balance

BT4HP™ ENTRY SIGNAL

High Overload Burden (A) + High Depletion Signature (B)

1 Early Recognition of Dysregulation

2 Reduce Chronic Cognitive Load

3 Restore Whole-Brain Integration

HB Heart-Brain Coherence — The Missing Link

Early Recognition of Dysregulation

01

- The first sign is not exhaustion — it is subtle: cognitive rigidity, narrowed attention, effort that used to come easily now requiring more of it.
- Developing internal awareness systems means reconnecting with what the body has been signaling all along.
- BT4HP™ Items 1, 2, 3, and 5 function as early warning — catching Stage 1 before it becomes Stage 2.
- Personal early warning systems should be designed around your specific dysregulation pattern, not a generic checklist.

Reduce Chronic Cognitive Load

02

- The prefrontal cortex has a finite daily budget. Every unnecessary decision spends against it.
- BT4HP™'s Cognitive Collapse Triad (Items 9 + 10 + 11) should be read together, not in isolation.
- Decision simplification and delegation are neurobiological necessities — not optional conveniences or signs of weakness.
- Environmental and systems design functions as a treatment protocol, not a productivity hack.

32. Pashler H. Dual-task interference in simple tasks: data and theory. Psychol Bull. 1994;116(2):220–244.

Restore Whole-Brain Integration

03

- Medical training cultivates left-brain dominance — at a real neurological cost.
- The “mechanical” or detached feeling many physicians describe is a neurological signal, not a character defect.
- Bilateral stimulation and integration techniques support the brain's return to coordinated function.
- Restoring emotional intelligence is a neurobiological necessity for sustainable clinical practice — not a soft skill.

33. Siegel DJ. The Developing Mind: How Relationships and the Brain Interact to Shape Who We Are. 3rd ed. New York: Guilford Press; 2020.

Heart-Brain Coherence — The Missing Link

HB

- Neurocardiology reveals the heart's own intelligence — recovery extends beyond brain balance alone.
- Heart rate variability functions as both a burnout biomarker and a real-time recovery indicator.
- A 90-second reset between patients brings coherence into clinical practice without adding time to an already full schedule.
- A daily coherence practice, tracked through HRV, gives objective biofeedback for nervous system recovery.

34. McCraty R, Atkinson M, Tomasino D, Bradley RT. The coherent heart. Integral Rev. 2009;5(2):10–115. 35. Lehrer PM, Gevirtz R. Heart rate variability biofeedback: how and why does it work? Front Psychol. 2014;5:756.

Flow as a Biological Safeguard

BT4HP™ ENTRY SIGNAL

High Disengagement Pattern (C) + High Emotional Distancing (D)

4 Curiosity — The Learning Drive

5 Passion — Intrinsic Motivation

6 Purpose — Meaning Architecture

7 Autonomy — Volitional Engagement

8 Mastery — Challenge-Skill Balance

Curiosity — The Learning Drive

04

- Curiosity acts as a neuroplasticity catalyst — engaging the hippocampus and modulating dopaminergic reward.
- When medicine stops being interesting, that is a recognizable collapse of intellectual engagement, not simple fatigue.
- Structured curiosity practices give busy physicians a way to reclaim intellectual fascination deliberately.
- Protecting wonder in routine work is a discipline of deliberate noticing, practiced daily.

38. Gruber MJ, Gelman BD, Ranganath C. States of curiosity modulate hippocampus-dependent learning via the dopaminergic circuit. Neuron. 2014;84(2):486–496.

Passion — Intrinsic Motivation

05

- Passion is, neurobiologically, the dopaminergic circuit of engagement — not a personality trait.
- Passion archaeology uncovers what still matters beneath layers of accumulated cynicism.
- Rediscovering your “why” means finding the true answer, not the one rehearsed in a medical school interview.
- Aligning practice with purpose requires structural adjustments — not willpower alone.

39. Ryan RM, Deci EL. Self-determination theory and the facilitation of intrinsic motivation, social development, and well-being. Am Psychol. 2000;55(1):68–78.

Purpose — Meaning Architecture

06

- Meaning functions as a cognitive anchor — what purpose actually does within the nervous system.
- BT4HP™ Item 4★ (Loss of Meaning) scored at 4 or higher signals identity-level work is required, not incremental adjustment.
- Meaning-recognition, not meaning-making, is the distinction that changes the path forward.
- Micro-purpose — built into daily practice — becomes structural architecture rather than an occasional reflection.

40. Frankl VE. Man's Search for Meaning. Boston: Beacon Press; 2006.

Autonomy — Volitional Engagement

07

- BT4HP™ Item 11 (Loss of Time Control) is one of the strongest single burnout predictors in the instrument.
- The autonomy paradox: physicians chose this profession for independence, and lost it somewhere along the way.
- Micro-autonomy strategies create real agency within systems that cannot be fully controlled.
- When the autonomy problem is organizational, the target of intervention has to shift accordingly.

39. Ryan RM, Deci EL. Self-determination theory and the facilitation of intrinsic motivation, social development, and well-being. Am Psychol. 2000;55(1):68–78.

Mastery — Challenge-Skill Balance

08

- The flow channel requires matching challenge to evolving skill at every career stage — not just early on.
- When mastery becomes monotony, an experienced physician stops growing — a distinct and identifiable risk pattern.
- Growth edges exist for mid-career and late-career physicians alike, if deliberately sought.
- Preventing motivational anhedonia requires structural strategy across a full career, not a single course correction.

42. Csikszentmihalyi M. Flow: The Psychology of Optimal Experience. New York: Harper & Row; 1990.

Integration & Sustainability

BT4HP™ ENTRY SIGNAL

High Sustainability Threat (F) + persistent Cognitive Erosion (E)

9 Whole-Brain Flexibility — Cognitive Agility

10 Design for Long-Term Continuity

Whole-Brain Flexibility — Cognitive Agility

09

- Cognitive agility is the signature of a recovered physician — the capacity to shift between processing modes deliberately.
- Reflective versus task-oriented processing: knowing when to shift, and how, is a trainable skill.
- Mindfulness and meta-awareness function as neurological training in medicine — not simply a wellness practice.
- A weekly brain reset protocol maintains flexibility as a standing structural habit.

44. Brewer JA, Worhunsky PD, Gray JR, Tang YY, Weber J, Kober H. Meditation experience is associated with differences in default mode network activity. Proc Natl Acad Sci USA. 2011;108(50):20254–20259.

Design for Long-Term Continuity

10

- Architecture beats willpower — systems outperform intentions every time, especially under sustained demand.
- BT4HP™ Item 12★ (Perceived Unsustainability) functions as a forward-looking sentinel — the person often knows before the score does.
- Protected recovery rhythms must be non-negotiable structures within a culture that negotiates everything.
- A 90-day review process makes quarterly recalibration the standard of professional self-care, not the exception.

47. Aschoff J. Circadian rhythms in man. Science. 1965;148(3676):1427–1432.

The Burnout Fingerprint → Method Entry Points

A	Overload Burden	→	Step 2 — Cognitive Load Reduction First
B	Depletion Signature	→	Heart-Brain Coherence + Clinical Evaluation
C	Disengagement Pattern	→	Steps 5–6 — Passion & Purpose Before Optimization
D	Emotional Distancing	→	Steps 4–5 — Curiosity & Authenticity Recovery
E	Cognitive Erosion	→	Step 2, With Structural Support First
F	Sustainability Threat	→	Step 10 — The Continuity Design Pathway

Stage-Aligned Pathways



GREEN ZONE — Capacity Architecture + Recovery Optimization — Phase I



YELLOW ZONE — Authenticity Recovery + Meaning Reconnection + Relational Repair — Phase II



RED ZONE — Clinical Evaluation + Fundamental Redesign + Identity Reconstruction — Phase III

INTEGRATION

Why the Gap Is the Most Important Clinical Fact

- Two physicians can post the identical total score with entirely different subscale profiles — and require entirely different interventions.
- When the Identity Score significantly exceeds the Functional Score, identity becomes the primary clinical signal: performance is masking existential burnout.
- The Recognition Check treats endorsed statements as primary data — not a secondary modifier layered on top of the number.
- For coaches and institutions, this gap reframes the presenting problem: the person in front of you may be further along than their functional performance suggests.

INTEGRATION

The Full System, as One Loop

THE NEAL MODEL™

Names the progression

→

BT4HP™

Locates the person within it

→

THE NEAL METHOD™

Sequences the path back

→

RE-ASSESSMENT

Confirms movement, restarts the loop

Usable by the individual physician charting their own recovery — and by institutions and coaches building it into a program.

From Surviving to Flourishing

Prevention is not the destination. It is the beginning of something larger — sustainable excellence across a full career, not just this quarter.

I built this because I needed it and did not have it.
I hope you need it less than I did — and use it sooner than I was able to.

— RYAN C. NEAL, MD

THE NEAL MODEL™ & THE NEAL METHOD™

Understand the Progression. Restore the System.
Build a Sustainable Practice.

In Integration with BT4HP™ — 3 Stages · 12 Dimensions · 10 Steps · 3 Phases

Ryan C. Neal, MD · NEUFLODOC™ Systems · The In-Between Guide™ · © 2026